



Test Certificate

Sample Description: Fulvic Acid XL
Sample Lot Number: MSM-700970-1
Sample Part Code: PO 5327

Client Name
and Address:

Location:
Received Date: 12/7/06 15:52
Completed Date: 12/18/2006

Lab No: 30437-01

Lab Comments:

Analysis	Result	Per Unit	Method
Aluminum	3.71	ppm	
Antimony	0.016	ppm	
Arsenic	0.052	ppm	
Barium	0.028	ppm	
Beryllium	<0.01	ppm	
Bismuth	0.009	ppm	
Boron	0.168	ppm	
Bromine	4.89	ppm	
Cadmium	<0.01	ppm	
Calcium	54.3	ppm	
Carbon	22,800	ppm	
Cerium	0.009	ppm	
Cesium	0.010	ppm	
Chloride	76.5	ppm	
Chromium	0.029	ppm	
Cobalt	<0.01	ppm	
Copper	3.76	ppm	
Dysprosium	0.006	ppm	
Erbium	0.010	ppm	
Eurobium	<0.005	ppm	
Fluoride	2.76	ppm	
Gadolinium	<0.005	ppm	
Gallium	0.019	ppm	
Germanium	0.011	ppm	
Gold	<0.01	ppm	
Hafnium	0.026	ppm	
Holmium	<0.01	ppm	
Indium	0.008	ppm	
Iodine	2.25	ppm	



Advanced Laboratories, Inc.

40 West Louise Ave.
Salt Lake City, UT 84115
801-485-1800 Fax 801-484-9211

Iridium	<0.01	ppm
Iron	2.77	ppm
Lanthanum	<0.005	ppm
Lead	<0.05	ppm
Lithium	0.516	ppm
Lutetium	0.006	ppm
Magnesium	1.28	ppm
Manganese	0.037	ppm
Mercury	<0.01	ppm
Molybdenum	0.011	ppm
Neodymium	<0.005	ppm
Nickel	<0.01	ppm
Niobium	0.008	ppm
Osmium	<0.005	ppm
Palladium	<0.01	ppm
Phosphorous	4.88	ppm
Platinum	<0.01	ppm
Potassium	14.6	ppm
Praseodymium	<0.005	ppm
Rhenium	<0.005	ppm
Rhodium	<0.01	ppm
Rubidium	2.098	ppm
Ruthenium	0.026	ppm
Samarium	0.022	ppm
Scandium	0.018	ppm
Selenium	0.069	ppm
Silicon	10.9	ppm
Silver	3.11	ppm
Sodium	24.4	ppm
Strontium	0.035	ppm
Sulfur	48.1	ppm
Tantalum	0.025	ppm
Tellurium	<0.01	ppm
Terbium	<0.005	ppm
Thallium	<0.01	ppm
Thorium	<0.005	ppm
Thulium	0.014	ppm
Tin	0.037	ppm
Titanium	0.151	ppm
Tungsten	0.039	ppm
Vanadium	0.085	ppm
Ytterbium	0.008	ppm
Yttrium	0.035	ppm

Reach For Life Pty. Ltd.
www.reach-for-life.com



Advanced Laboratories, Inc.

40 West Louise Ave.
Salt Lake City, UT 84115
801-485-1800 Fax 801-484-9211

Zinc	0.194	ppm
Zirconium	0.136	ppm
Fulvic Acid	4.96	%

THESE RESULTS ARE ASSIGNED ONLY TO THE SAMPLE SUBMITTED NOT TO THE PRODUCT IT WAS TAKEN FROM.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM THE LABORATORY.

Results Approved By: Richard N. Draper

Dated: 12/18/2006

Reach For Life Pty. Ltd.
www.reach-for-life.com